PHYTOCHEMISTRY

THE INTERNATIONAL JOURNAL

OF PLANT BIOCHEMISTRY

Editor-in-Chief
J. B. HARBORNE

Associate Editor (North America)
N. G. LEWIS

Executive Editor
T. A. SMITH

Volume 35 Contents, Author Index and
Subject Index 1994

PERGAMON

PHYTOCHEMISTRY

The International Journal of Plant Biochemistry

Editor-in-Chief

J. B. HARBORNE: Plant Science Laboratories, The University, Whiteknights, Reading, RG6 2AS, Berks., U.K.

Associate Editor (North America)

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Executive Editor

T. A. SMITH: Long Ashton Research Station, Bristol, BS18 9AF, U.K.

Associate Editors

L. J. GOAD: Dept. of Biochemistry, Liverpool University, Liverpool, L69 3BX, U.K.

P. J. HOLLOWAY: Long Ashton Research Station, Bristol, BS18 9AF, U.K.

P. J. LEA (Review Editor): Division of Biological Science, University of Lancaster, Lancaster, LA1 4YQ, U.K.

D. R. THRELFALL: Dept. of Applied Biology, School of Life Sciences, University of Hull, Hull, HU6 7RX, U.K.

C. A. WILLIAMS: Plant Science Laboratories, The University, Whiteknights, Reading, RG6 2AS, Berks., U.K.

Production Editors

Z. H. WILCOCK, S. L. SHEPHERD: Journals Production Dept., Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

EDITORIAL BOARD—1994

Y. Asakawa:	Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yameshiro-cho, 770 Tokushima, Japan.
E. A. Bell:	Dept. of Biochemistry, King's College, Strand, London WC2R 2LS, U.K.
E. G. Brown:	Dept. of Biochemistry, University College of Swansea, Singleton Park, SA2 8PP, U.K.
E. E. Conn:	Dept. of Biochemistry and Biophysics, University of California, Davis, CA 95616, U.S.A.
G. Cordell:	Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois at Chicago, IL 60612, U.S.A.
R. Croteau:	Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.
V. De Luca:	Dept. de sciences biologiques, Institut de recherche en biologie vegetale, Universite de Montreal, 4101 est rue Sherbrooke, Montreal, Quebec, Canada H1X 2B2.
B. Ellis:	Dept. of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C. Canada V6T 1Z4.
N. H. Fischer:	Dept. of Chemistry, Louisiana State University, Baton Rouge, LA 70803, U.S.A.
L. Fowden:	Rothamsted Experimental Station, Harpenden, Herts., U.K.
T. W. Goodwin:	9 Woodlands Close, Parkgate, S. Wirral, Cheshire L64 6RU, U.K.
O. R. Gottlieb:	Instituto de Quimica, Universidade de São Paulo, C.P. 20780, São Paulo 01498, Brazil.
J. L. Harwood:	Dept. of Biochemistry, University of Wales, P.O. Box 903, Cardiff CF1 1ST, U.K.
V. Herout:	Dept. of Natural Products, Inst. Organic Chemistry, Flemingovo N2, Praha 6, Czechoslovakia.
W. Herz:	Dept. of Chemistry, The Florida State University, Tallahassee, FL 32306, U.S.A.
K. Hostettmann:	Institut de Pharmacognosie et Phytochemie, B.E.P., 1015 Dorigny-Lausanne, Switzerland.
M. Luckner:	Sektion Pharmazie, Universität Halle (Saale), Germany.
T. J. Mabry:	Dept. of Botany, University of Texas at Austin, TX 78712, U.S.A.
P. Mazliak:	Lab. de Physiologie Cellulaire, Université Pierre et Marie Curie, 75005 Paris, France.
B. V. Milborrow:	School of Biochemistry, University of N.S.W., P.O. Box 1, Kensington, NSW 2033, Australia.
T. Okuda:	Okayama University of Sciences, Kidai-cho, 1-1 Okayama 700, Japan.
J. D. Phillipson:	School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K.
J. E. Poulton:	Dept. of Botany, University of Iowa, Iowa City, IA 52242, U.S.A.
T. ap Rees:	Botany School, University of Cambridge, Downing Street, Cambridge CB2 3EA, U.K.
U. Sankawa:	Faculty of Pharmaceutical Sciences, University of Tokyo, Hongo 7-3-1, Bunkyo-ku, Tokyo 113, Japan.
J. Tempe:	Institut des Sciences Végétales, CNRS, 91198-Gif sur Yvette and Institut National Agronomique Paris-Grignon, 75231-Paris, France.
G. H. N. Towers:	Dept. of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
H. Wagner:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.
P. G. Waterman:	Phytochemistry Research Laboratories, Dept. of Pharmacy, University of Strathclyde, 204 George Street, Glasgow G1 1XW, U.K.
M. H. Zenk:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.

All manuscripts and contributions should be submitted to either J. B. HARBORNE at Reading or N. G. LEWIS at Pullman. Authors are earnestly requested to consult the latest 'Instructions to Authors', which are published in Vol. 35, No. 1 (copies of these instructions are available from the Reading office) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcomed, but intending Authors should send an outline to P. J. LEA before preparing their manuscripts. Books for review should be sent to J. B. HARBORNE.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. *Annual Institutional Subscription Rates* (1994): North, Central and South America, U.S.$1645.00, Rest of World, £1069.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Published monthly plus additional issues in January, March, May, July, September and November (three volumes 1994). Subscription enquiries from customers in North America should be sent to: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., and for the remainder of the world to: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. *Microform Back Issues:* Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Elsevier Science Offices.

Second class postage paid at RAHWAY NJ and additional Mailing Offices. Postmaster send address corrections to *Phytochemistry*, c/o Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Copyright © 1994 Elsevier Science Ltd

Front cover illustration: Leaves and acorns of *Quercus robur*.

CONTENTS OF VOLUME 35

Number 1

Instructions to Authors—1994 1

Review Article Number 87
The phytochemistry of the Myoporaceae 7 E. L. GHISALBERTI

Growth and Metabolism
Native gibberellin-*O*-glucosides from mature seeds of *Phaseolus coccineus* 35 W. SCHLIEMANN, B. SCHALLER, E. JENSEN and G. SCHNEIDER

Effect of ozone on the biochemistry and aphid infestation of Scots pine 39 P. KAINULAINEN, J. K. HOLOPAINEN, H. HYTTINEN and J. OKSANEN

Effects of phaseollin on membrane leakage in red beet vacuoles and tonoplast vesicles 43 G. O. SPESSARD, C. HANSON, J. S. HALVORSON and J. L. GIANNINI

Ursolic acid inhibits synthesis of jasmonate-induced proteins in barley leaves 49 C. WASTERNACK, R. ATZORN, B. BLUME, J. LEOPOLD and B. PARTHIER

Properties of a long chain aldehyde-forming enzyme in the marine green alga *Ulva pertusa* 55 T. KAJIWARA, A. HATANAKA, K. MATSUI, T. TOMOI and T. IDOHARA

Subcellular distribution of cobalamin-dependent methionine synthase in *Euglena gracilis* z 59 Y. ISEGAWA, F. WATANABE, S. KITAOKA and Y. NAKANO

Characterization of bibenzyl synthase catalysing the biosynthesis of phytoalexins of orchids 63 T. REINECKE and H. KINDL

Absence of transglycosylation with oligogalacturonides in plant cells 67 I. GARCIA-ROMERA and S. C. FRY

Anti-complementary neutral polysaccharides from leaves of *Artemisia princeps* 73 QUAN-CHENG ZHAO, H. KIYOHARA and H. YAMADA

Isomeric alkyl esters in *Quercus robur* leaf cuticular wax 79 P.-G. GÜLZ, C. MARKSTÄDTER and M. RIEDERER

Variations in yield and composition of the essential oil of *Satureja obovata* 83 M. L. ARREBOLA, M. C. NAVARRO, J. JIMÉNEZ and F. A. OCAÑA

Investigation of the diurnal, ontogenetic and seasonal variation in the molluscicidal saponin content of *Phytolacca dodecandra* aqueous berry extracts 95 J. NDAMBA, E. LEMMICH and P. MØLGAARD

Metabolism of maculosin, a host-specific phytotoxin produced by *Alternaria alternata* on spotted knapweed (*Centaurea maculosa*) 101 SANG HO PARK, A. STIERLE and G. A. STROBEL

Tropane alkaloid patterns in plants and hairy roots of *Hyoscyamus albus* 107 K. DOERK-SCHMITZ, L. WITTE and A. W. ALFERMANN

Ecological Biochemistry
Volatile compounds from flowers of six species in the family Apiaceae: bouquets for different pollinators? 111 A.-K. BORG-KARLSON, I. VALTEROVÁ and L. A. NILSSON

Biosynthesis
Biosynthesis of ursolic acid in cell cultures of *Perilla frutescens* 121 Y. TOMITA and Y. IKESHIRO

Transformations of solasodine and derivatives of hecogenin by *Cunninghamella elegans* 125 A. V. PATEL, G. BLUNDEN and T. A. CRABB

Cell Culture and Biotechnology

Use of organized viable vanilla plant aerial roots for the production of natural vanillin — 135 — R. J. Westcott, P. S. J. Cheetham and A. J. Barraclough

Phenanthrenes and other phenolics from *in vitro* cultures of *Marchantia polymorpha* — 139 — K. P. Adam and H. Becker

Floral flavonoids and the potential for pelargonidin biosynthesis in commercial chrysanthemum cultivars — 145 — K. E. Schwinn, K. R. Markham and N. K. Given

Chemotaxonomy

Ureases in the Cucurbitaceae, distribution and properties — 151 — A. S. Fahmy, M. A. Mohamed and M. Y. Kamel

Essential polyunsaturated fatty acids from 14 species of diatom (Bacillariophyceae) — 155 — G. A. Dunstan, J. K. Volkman, S. M. Barrett, J.-M. Leroi and S. W. Jeffrey

A comparative study of sterols in oil seeds of *Solanum* species — 163 — J. A. Zygadlo

Indole alkaloids from leaves and stems of *Leuconotis eugenifolius* — 169 — F. Abe and T. Yamauchi

Plant Chemistry

Terpenoid glycosides from the roots of *Aster tataricus* — 173 — Dongliang Cheng and Yu Shao

Secoiridoid glucosides from *Fraxinus malacophylla* — 177 — Zheng-Dan He, S. Ueda, K. Inoue, M. Akaji, T. Fujita and Chong-Ren Yang

Sesquiterpene coumarin ethers from Asafetida — 183 — G. Appendino, S. Tagliapietra, G. M. Nano and J. Jakupovic

Structure and absolute configuration of a sesquiterpene from *Maytenus boaria* — 187 — A. G. González, I. A. Jiménez, I. L. Bazzocchi and A. G. Ravelo

Sesquiterpene lactones from *Peucephyllum schottii* — 191 — A. L. Okunade, S. Liu, A. M. Clark, C. D. Hufford and R. D. Rogers

Diterpenes and diterpene xylosides from *Conyza trihecatactis* — 195 — R. Torrenegra, J. Robles, R. Waibel, M. Löwel and H. Achenbach

Polyoxygenated oleanane triterpenes from *Hydrocotyle ranunculoides* — 201 — M. Della Greca, A. Fiorentino, P. Monaco and L. Previtera

Two stilbenoids from the orchid *Arundina bambusifolia* — 205 — P. L. Majumder and S. Ghosal (née Chatterjee)

Phenolic constituents of *Phellodendron amurense* bark — 209 — Y. Ida, Y. Satoh, M. Ohtsuka, M. Nagasao and J. Shoji

Catechin-3-*O*-rhamnoside chain extender units in polymeric procyanidins from mangrove bark — 217 — S. Achmadi, G. Syahbirin, E. T. Choong and R. W. Hemingway

Chromone glucosides from *Cnidium japonicum* — 221 — K. Baba, H. Kawanishi, M. Taniguchi and M. Kozawa

Resonance Raman spectroscopic studies of anthocyanins and anthocyanidins in aqueous solutions — 227 — J.-C. Merlin, A. Statoua, J.-P. Cornard, M. Saidi-Idrissi and R. Brouillard

Riccionidins A and B, anthocyanidins from the cell walls of the liverwort *Ricciocarpos natans* — 233 — S. Kunz, G. Burkhardt and H. Becker

Malonylated anthocyanins in purple sunflower seeds — 237 — G. Mazza and L. Gao

Two methylated flavonols from *Jasonia candicans* — 241 — A. A. Ahmed, A. A. Mahmoud, T. Tanaka and M. Iinuma

Two isoflavones from *Erythrina senegalensis* — 245 — J. Wandji, Z. T. Fomum, F. Tillequin, E. Seguin and M. Koch

Indole alkaloids from leaves of *Alstonia macrophylla* in Thailand 249 F. Abe, T. Yamauchi and T. Santisuk

Indole alkaloids from leaves of *Alstonia macrophylla* in The Philippines 253 F. Abe, T. Yamauchi and W. G. Padolina

Isoancistrocladine from *Ancistrocladus heyneanus*: the first naturally occurring *N*-unsubstituted *cis*-configurated naphthyltetrahydroisoquinoline alkaloid 259 G. Bringmann, L. Kinzinger, T. Ortmann and N. J. De Souza

1-Nitroaknadinine from *Stephania sutchuenensis* 263 Xian-kai Wang, Yu-rui Zhao, Tong-feng Zhao, Sheng Lai and Chun-tao Che

Short Reports

Chemical modification of *Aspergillus* 1,2-α-D-mannosidase by water-soluble carbodiimide 267 T. Yoshida, S. Shimizu and E. Ichishima

Guaianolides from *Crepis crocea* 269 W. Kisiel, J. Jakupovic and S. Huneck

Cytotoxic flavonoids from the leaves of *Melicope triphylla* 271 Rei-Sheu Hou, Chang-Yih Duh, Shang-Kwei Wang and Tai-Tsung Chang

Revised structure of flavidinin from *Acampae praemorsa* 273 V. Anuradha and N. S. Prakasarao

Flavonoid glycosides from *Indigofera hebepetala* 275 A. Hasan, M. Farman and I. Ahmed

Book Reviews

Advances in Plant Cell Biochemistry and Biotechnology: edited by I. A. Morrison 277 J. B. Harborne

Cellular and Molecular Aspects of the Plant Hormone Ethylene: edited by J. C. Pech, A. Latche and C. Balague 277 A.-D. Bauchot

Enzymes of Secondary Metabolism: edited by P. J. Lea, Methods in Plant Biochemistry, Vol. 9 278 G. P. Bolwell

Photosynthesis and Production in a Changing Environment; A Field and Laboratory Manual: edited by D. O. Hall, J. M. O. Scurlock, H. R. Bolhàr-Norden-kampf, R. C. Leegood and S. P. Long 278 J. D. Ross

Cytochrome P450: edited by J. B. Schenkman and H. Greim, Handbook of Experimental Pharmacology, Vol. 105 279 G. P. Bolwell

Genetic Improvement of Vegetable Crops: edited by G. Kalloo and B. O. Bergh 279 J. K. Jones

Number 2

Growth and Metabolism

Cell wall proteins in seedling cotyledons of *Prosopis chilensis* 281 J. G. Rodríguez and L. Cardemil

Characteristics of six isoperoxidases from Korean radish root 287 Mi Young Lee and Soung Soo Kim

The affinity of pea cotyledon 10-formyltetrahydrofolate synthetase for polyglutamate substrates 291 C. D. Kirk, H. C. Imeson, Li-Li Zheng and E. A. Cossins

Interaction between cerulenin and 6-hydroxymellein synthase in carrot cell extracts 297 F. Kurosaki, M. Itoh and A. Nishi

Potent effect of jasmonates on indole glucosinolates in oilseed rape and mustard 301 R. P. Bodnaryk

Ecological Biochemistry

Purification and characterization of cactorein, a phytotoxin secreted by *Phytophthora cactorum* 307 I. A. Dubery, D. Meyer and C. Bothma

Effect of aphid infestation on enzyme activities in barley and wheat 313 V. H. Argandoña

Metabolic changes in barley seedlings at different aphid infestation levels — 317 H. M. Cabrera, V. H. Argandoña and L. J. Corcuera

Dimethyl oligosulphides, major volatiles released from *Sauromatum guttatum* and *Phallus impudicus* — 321 A.-K. Borg-Karlson, F. O. Englund and C. R. Unelius

Six sesquiterpenoids from glandular trichome exudates of *Rosa rugosa* — 325 Y. Hashidoko, S. Tahara and J. Mizutani

2′,6′-Dihydroxy-4′-methoxyacetophenone, a phytoalexin from the roots of *Sanguisorba minor* — 331 T. Kokubun, J. B. Harborne and J. Eagles

Isolation of resveratrol from *Festuca versuta* and evidence for the widespread occurrence of this stilbene in the Poaceae — 335 R. G. Powell, M. R. TePaske, R. D. Plattner, J. F. White and S. L. Clement

Biosynthesis

Cytokinin biosynthesis by extracts of *Zea mays* — 339 J. R. Blackwell and R. Horgan

Coronamic acid, an intermediate in coronatine biosynthesis by *Pseudomonas syringae* — 343 R. E. Mitchell, S. A. Young and C. L. Bender

Dephosphorylation pathway of D-*myo*-inositol 1,4,5-trisphosphate in the unicellular green alga *Chlamydomonas eugametos* — 349 H. Klerk, J. A. J. van Himbergen, A. Musgrave, P. J. M. van Haastert and H. Van den Ende

Cell Culture and Biotechnology

Heterologous expression of the plant proteins strictosidine synthase and berberine bridge enzyme in insect cell culture — 353 T. M. Kutchan, A. Bock and H. Dittrich

Polysaccharides in primary cell walls of rice cells in suspension culture — 361 Y. Takeuchi, M. Tohbaru and A. Sato

Polyacetylenes in *Lobelia sessilifolia* hairy roots — 365 K. Ishimaru, H. Arakawa, M. Yamanaka and K. Shimomura

Accumulation of stress metabolites in cell suspension cultures of *Hyoscyamus albus* — 371 M. G. Miguel and J. G. Barroso

Triterpenoids from callus tissue of *Actinidia polygama* — 377 Y. Sashida, K. Ogawa, T. Yamanouchi, H. Tanaka, Y. Shoyama and I. Nishioka

Alkaloid synthesis by root cultures of *Rauwolfia serpentina* transformed by *Agrobacterium rhizogenes* — 381 B. D. Benjamin, G. Roja and M. R. Heble

Chemotaxonomy

Identical amino acid sequence of ferredoxin from *Datura metel* and *D. innoxia* — 385 Y. Mino

Epicuticular wax composition of some European *Sedum* species — 389 J. F. Stevens, H. 't Hart, A. Bolck, J. H. Zwaving and T. M. Malingré

Anthraquinones, pre-anthraquinones and isoeleutherol in the roots of *Aloe* species — 401 E. Dagne, A. Yenesew, S. Asmellash, S. Demissew and S. Mavi

Acylated pelargonidin glucosides in the maroon flowers of *Pharbitis nil* — 407 N. Saito, Ting Sen Lu, M. Akaizawa, M. Yokoi, A. Shigihara and T. Honda

Flavonoid diversity and metabolism in 100 *Rosa* X *hybrida* cultivars — 413 J.-P. Biolley, M. Jay and M.-R. Viricel

Ester alkaloids of *Genista cinerea* subspecies *cinerea* — 421 I. van Rensen, V. Wray, L. Witte, P. Canto, R. Greinwald, G. Veen, M. Veit and F.-C. Czygan

Plant Chemistry

The sesquiterpenes of *Fabiana imbricata* — 425 G. D. Brown

Sesquiterpene lactones from *Centaurea hermannii*	435	S. Öksüz, S. Serin and G. Topçu
Diterpenoid glycosyl esters from *Phlomis younghusbandii* and *P. medicinalis* roots	439	M. Katagiri, K. Ohtani, R. Kasai, K. Yamasaki, Chong-Ren Yang and O. Tanaka
Neo-clerodane diterpenoids and other constituents from *Baccharis genistelloides*	443	R. Suttisri, A. D. Kinghorn, A. D. Wright and O. Sticher
Neo-clerodane diterpenoids from *Salvia madrensis*	447	L. Rodríguez-Hahn, G. Alvarado, J. Cárdenas, B. Esquivel and R. Gaviño
Rearranged limonoids from *Harrisonia brownii*	451	K. Mitsunaga, K. Koike, K. Ishii and T. Ohmoto
Limonoids from the seed of *Turraea floribunda*	455	L. A. Fraser, D. A. Mulholland and J. J. Nair
Quassinoids from *Quassia indica*	459	K. Koike and T. Ohmoto
Anthraquinones from *Senna multiglandulosa*	465	B. M. Abegaz, M. Bezabeh, G. Alemayehu and H. Duddeck
Phloroglucinol derivatives from *Hypericum japonicum*	469	K. Ishiguro, S. Nagata, H. Fukumoto, M. Yamaki and K. Isoi
Flavan and procyanidin glycosides from the bark of blackjack oak	473	Young-Soo Bae, J. F. W. Burger, J. P. Steynberg, D. Ferreira and R. W. Hemingway
Lignans and a stilbene from *Festuca argentina*	479	A. C. Casabuono and A. B. Pomilio
Solid-state NMR study of leaf cell walls of oil palm	485	M. C. Jarvis
Determination of phenolic structures in flax fibre by solid-state ^{13}C NMR	489	G. D. Love, C. E. Snape, M. C. Jarvis and I. M. Morrison
Alkylresorcinols and isocoumarins from *Ononis pubescens*	493	A. F. Barrero, E. Cabrera, I. Rodríguez and F. Planelles
Characterization of compounds obtained by chemical oxidation of caffeic acid in acidic conditions	499	H. Fulcrand, A. Cheminat, R. Brouillard and V. Cheynier
9-Hydroxy-2,2,6,7-tetramethyl-2H-[1]-benzopyran-(1-phenylethylene-10-yl)-[3,2-*b*]-dihydropyran-4-one from *Calophyllum tomentosum*	507	V. Babu, R. Arya, M. Ilyas and K. T. Nasim
Four flavonoids from *Scutellaria baicalensis*	511	Yong-Yu Zhang, Yun-Zhen Guo, M. Onda, K. Hashimoto, Y. Ikeya, M. Okada and M. Maruno
Five isoprenoid-substituted flavonoids from *Glycyrrhiza eurycarpa*	515	T. Fukai, J. Nishizawa and T. Nomura
An isoflavanone and a coumestan from *Erythrina sigmoidea*	521	A. E. Nkengfack, J. Kouam, T. W. Vouffo, M. Meyer, M. S. Tempesta and Z. T. Fomum
Two xanthones from root bark of *Calophyllum inophyllum*	527	M. Iinuma, H. Tosa, T. Tanaka and S. Yonemori
2,7-Dihydroxyapogeissoschizine from root bark of *Strychnos gossweileri*	533	J. Quetin-Leclercq, G. Dive, C. Delaude, R. Warin, R. Bassleer and L. Angenot
Short Reports		
7-α-Acetoxyhardwickiic acid: a furanoid clerodane	537	R. A. Spanevello and A. J. Vila
Antiviral diterpenes from *Salvia officinalis*	539	M. Tada, K. Okuno, K. Chiba, E. Ohnishi and T. Yoshii

Dammaranes from *Astrotrichilia asterotricha* 542 D. A. MULHOLLAND, J. J. NAIR and D. A. H. TAYLOR

Phenylpropanoid-catechins from bark of *Ocotea porosa* 545 J. M. DAVID, M. YOSHIDA and O. R. GOTTLIEB

Cinnamrutinoses A and B, glycosides of *Populus tremula* 547 A. JOSSANG, P. JOSSANG and B. BODO

Ampelopsin 7-glucoside and other dihydroflavonol 7-glucosides from needles of *Picea abies* 550 R. SLIMESTAD, Ø. M. ANDERSEN and G. W. FRANCIS

Number 3

Growth and Metabolism

Potent non-protonophore uncouplers acting on natural and artificial membranes 553 J.-M. ROUTABOUL, G. TAILLANDIER, P. RAVANEL and M. TISSUT

Antioxidant system in *Sporobolus stapfianus*: changes in response to desiccation and rehydration 561 C. L. M. SGHERRI, B. LOGGINI, S. PULIGA and F. NAVARI-IZZO

Peroxidases in the separation zone during ethylene-induced bean leaf abscission 567 M. T. MCMANUS

The low-isoelectric point tyrosinase of *Agaricus bisporus* may be a glycoprotein 573 Y. A. M. GERRITSEN, C. G. J. CHAPELON and H. J. WICHERS

Processing of a 58×10^3 M_r invertase from potato tubers 579 L. R. BURCH, H. V. DAVIES, H. A. ROSS, G. C. MACHRAY, P. HEDLEY and R. WAUGH

Protease from the sarcocarp of *Trichosanthes bracteata* 583 M. KANEDA and T. UCHIKOBA

The mechanism of inhibition of fatty acid synthase by the herbicide diflufenican 587 I. A. ASHTON, K. O. ABULNAJA, K. E. PALLETT, D. J. COLE and J. L. HARWOOD

Hydroxyproline-containing fragments in the cell wall of *Phytophthora parasitica* 591 C. ROUX, D. MAZAU, M. RICKAUER, J. FOURNIER, E. BERTHALON and M.-T. ESQUERRÉ-TUGAYÉ

In vitro formation of a dimer in the 4-aminophenol-melanin pathway 597 L. SOULIER, N. ARPIN and M. KAOUADJI

Ecological Biochemistry

Glutamic acid content of phloem sap is not a good predictor of plant resistance to *Rhopalosiphum padi* 601 J. WEIBULL

Porritoxinol, a phytotoxin of *Alternaria porri* 603 R. SUEMITSU, K. OHNISHI, Y. MORIKAWA, I. IDEGUCHI and H. UNO

Insect growth inhibitors from *Machilus japonica* 607 A. GONZÁLEZ-COLOMA, P. ESCOUBAS, J. MIZUTANI and L. LAJIDE

An insect growth inhibitory lignan from flower buds of *Magnolia fargesii* 611 M. MIYAZAWA, Y. ISHIKAWA, H. KASAHARA, J. YAMANAKA and H. KAMEOKA

Pyrrolizidine alkaloids in *Chromolaena odorata*. Chemical and chemoecological aspects 615 A. BILLER, M. BOPPRÉ, L. WITTE and T. HARTMANN

Biosynthesis

Early stages in the biosynthesis of aucubin and harpagide. Deuterium labelling studies 621 S. DAMTOFT, S. R. JENSEN and I. WEIERGANG

Biosynthesis of *p*-hydroxyphenylbutan-2-one in raspberry fruits and tissue cultures 623 W. BOREJSZA-WYSOCKI and G. HRAZDINA

Cell Culture and Biotechnology

Time-course of accumulation of free extra- and intracellular amino acids in *Achillea millefolium* cell suspension cultures — 629 A. C. S. Figueiredo, J. G. Barroso and M. S. S. Pais

Biotransformation of caryophyllene oxide by cultured cells of *Eucalyptus perriniana* — 635 Y. Orihara, K. Saiki and T. Furuya

Biotransformation of 1,8-cineole by cultured cells of *Eucalyptus perriniana* — 641 Y. Orihara and T. Furuya

Products with biological activity obtained from *in vitro* micropropagated *Sideritis foetens* — 645 A. Garcia-Granados, A. Martinez, M. E. Onorato, A. Parra, M. B. Recondo, F. Rivas, M. L. Arrebola and O. Socorro

The rate of ecdysteroid production in suspension cultured cells of the fern *Pteridium aquilinum* — 651 A. Svatoš and T. Macek

The sterol composition of five plant species grown as cell suspension cultures — 655 L. Dyas, D. R. Threlfall and L. J. Goad

Biotransformation of acetophenone with immobilized cells of carrot, tobacco and *Gardenia* — 661 Y. Akakabe and Y. Naoshima

5′-Epialtenuene and neoaltenuene, dibenzo-α-pyrones from *Alternaria alternata* cultured on rice — 665 N. Bradburn, R. D. Coker, G. Blunden, C. H. Turner and T. A. Crabb

Terpenoid indole alkaloid biotransformation capacity of suspension cultures of *Tabernaemontana divaricata* — 671 D. Dagnino, J. Schripsema and R. Verpoorte

Ajmalicine metabolism in *Catharanthus roseus* cell cultures — 677 R. I. dos Santos, J. Schripsema and R. Verpoorte

Chemotaxonomy

Subunit polypeptide composition of RUBISCO as a taxonomic tool in separating critical *Lepidium* species — 683 K. Mummenhoff

Knipholone from *Bulbine latifolia* and *Bulbine frutescens* — 685 L. F. van Staden and S. E. Drewes

Flavonoids in the acyanic flowers of *Pharbitis nil* — 687 N. Saito, J. Cheng, M. Ichimura, M. Yokoi, Y. Abe and T. Honda

Plant Chemistry

R-Phycoerythrin from the red alga *Gracilaria longa* — 693 E. D'Agnolo, R. Rizzo, S. Paoletti and E. Murano

A low molecular weight fucoidan fraction from the brown seaweed *Pelvetia canaliculata* — 697 S. Colliec, C. Boisson-Vidal and J. Jozefonvicz

Picrotoxane terpenoids, picrodendrins S and T, from *Picrodendron baccatum* — 701 K. Koike, Y. Suzuki and T. Ohmoto

Fontanesioside and 5-hydroxysecologanol from *Fontanesia phillyreoides* — 705 S. Damtoft, H. Franzyk and S. R. Jensen

Compounds with the labdane skeleton from *Halimium viscosum* — 713 J. G. Urones, I. S. Marcos, P. Basabe, D. Diez, N. M. Garrido, C. Alonso, I. M. Oliva, A. M. Lithgow, R. F. Moro, M. J. Sexmero and C. Lopez

ent-Labdane and *neo*-clerodane diterpenes from *Gymnosperma glutinosum* — 721 E. Maldonado, R. Segura-Correa, A. Ortega, J. S. Calderón and F. R. Fronczek

Maoecrystal M: a naturally occurring symmetric *ent*-kaurane dimer from *Rabdosia eriocalyx* — 725 Xiaoyu Shen, A. Isogai, K. Furihata, Handong Sun and A. Suzuki

Diterpene quinoides from *Tripterygium wilfordii* var. *regelii* which are interleukin-1 inhibitors	731	K. Shishido, K. Nakano, N. Wariishi, H. Tateishi, T. Omodani, M. Shibuya, K. Goto, Y. Ono and Y. Takaishi
24-Methyl-25-ethyldammarane derivatives from *Pilocarpus spicatus*	739	M. Andrade-Neto, E. R. Silveira, R. Braz-Filho, M. T. P. Gambardela and R. H. A. Santos
Cycloartane triterpene glycosides from *Astragalus alexandrinus*	745	F. Orsini, L. Verotta, L. Barboni, N. A. El-Sebakhy, A. M. Asaad, R. M. Abdallah and S. M. Toaima
Triterpenoid saponins from *Dianthus chinensis*	751	Hong-Yu Li, K. Koike and T. Ohmoto
Acylated saponins, masonosides A–C, from the corms of *Crocosmia masoniorum*	757	Y. Asada, M. Ikeno and T. Furuya
Triterpenoids and flavonoids from *Leptospermum scoparium*	765	H. Häberlein and K.-P. Tschiersch
Identification of 5-(12-heptadecenyl)-resorcinol in rice root exudates	769	M. L. Bouillant, C. Jacoud, I. Zanella, J. Favre-Bonvin and R. Bally
Sesaminol glucosides in sesame seeds	773	H. Katsuzaki, S. Kawakishi and T. Osawa
Neolignans from *Arum italicum*	777	M. Della Greca, A. Molinaro, P. Monaco and L. Previtera
Flavonoids and 9-hydroxytridecyl docosanoate from *Artocarpus heterophyllus*	781	Chai-Ming Lu and Chun-Nan Lin
Eight phenolic compounds in root of *Sophora exigua*	785	M. Iinuma, J. Yokoyama, M. Ohyama, T. Tanaka and N. Ruangrungsi
Biflavonoids from *Ochna calodendron*	791	B. Messanga, R. Ghogomu Tih, B.-L. Sondengam, M.-T. Martin and B. Bodo
Further biflavonoids and 3′-phenylflavonoids from *Hypnum cupressiforme*	795	H. Sievers, G. Burkhardt, H. Becker and H. D. Zinsmeister
Canthin-6-one alkaloids from *Eurycoma longifolia*	799	K. Mitsunaga, K. Koike, T. Tanaka, Y. Ohkawa, Y. Kobayashi, T. Sawaguchi and T. Ohmoto
Sesquiterpene pyridine alkaloids from *Maytenus emarginata*: emarginatine-C and -D and cytotoxic emarginatine-E and emarginatinine	803	Yao-Haur Kuo, Chung-Hsiung Chen, Ming-Lu King, Tian-Shung Wu and Kuo-Hsiung Lee
Alkaloids from *Brunsvigia josephinæ*	809	F. Viladomat, J. Bastida, C. Codina, W. E. Campbell and S. Mathee
Pimpifolidine and 22-isopimpifolidine, 22,26-epimino-16,23-epoxycholestane alkaloids from the wild tomato *Lycopersicon pimpinellifolium*	813	H. Ripperger and A. Porzel
Short Reports		
The aetiology of turkey 'X' disease	817	N. Bradburn, R. D. Coker and G. Blunden
8,16-Dihydroxyhexadecanoic acid, a major component from cucumber cutin	818	H. C. Gérard, P. E. Pfeffer and S. F. Osman

6,7-seco-*ent*-Kaurane diterpenoid from *Rabdosia eriocalyx* 820 Xiaoyu Shen, A. Isogai, K. Furihata, Zhongwei Lin, Handong Sun and A. Suzuki

A 7,8-secolabdanoid from the liverwort *Pallavicinia subciliata* 822 Chia-Li Wu, Huei-Ju Liu and Huey-Ling Uang

Isolation of the (−)-(3*R*)-5-hydroxymellein from the fungus *Septoria nodorum* 825 M. Devys, M. Barbier, J.-F. Bousquet and A. Kollmann

(2*R*)-2-β-D-Glucopyranosyloxy-4-hydroxy-2H-1,4-benzoxazin-3(4H)-one from *Secale cereale* 827 H. Hartenstein and D. Sicker

C_{19}-Diterpenoid alkaloids of *Aconitum kongboense* 829 Jian-min Yue, Xu Jun and Yao-zu Chen

Book Review
Photosynthesis: Molecular, Physiological and Environmental Processes: by D. W. Lawlor 833 J. B. Harborne

Number 4

Growth and Metabolism
Potato micro-tuber inducing substances from *Lasiodiplodia theobromae* 835 K. Nakamori, H. Matsuura, T. Yoshihara, A. Ichihara and Y. Koda

Purification and characterization of a *Sarothamnus welwitschii* seed lectin 841 A. R. Sampietro and M. A. Vattuone

Influence of CO_2 on ACC oxidase activity from roots of sunflower (*Helianthus annuus*) seedlings 847 S. A. Finlayson and D. M. Reid

Protease activity from maize pollen 853 M. Radłowski, A. Kalinowski, Z. Krôlikowski and S. Bartkowiak

Cyclic nucleotide phosphodiesterase from *Lemna paucicostata*: effect of calmodulin and theophylline 857 L. Gangwani, J. P. Khurana and S. C. Maheshwari

A novel form of pectinesterase in tomato 863 A. G. S. Warrilow, R. J. Turner and M. G. Jones

Effect of gravity on senescence and polyamine content of *Helianthus annuus* cotyledons 869 Z. Zehir-Delibaşoğlu and N. Palavan-Ünsal

Effects of hydroxamic acids on electron transport and their cellular location in corn 873 F. Massardo, G. E. Zúñiga, L. M. Pérez and L. J. Corcuera

Alterations in $\delta^{13}C$ values of seedling cellulose associated with respiration during germination 877 Yao-Hua Luo and L. da Silveira Lobo Sternberg

Metabolism of glucose monophosphates by leucoplasts and amyloplasts from soybean suspension cultures 881 S. A. Coates and T. ap Rees

Antioxidative sulphated flavonoids in leaves of *Polygonum hydropiper* 885 A. Yagi, T. Uemura, N. Okamura, H. Haraguchi, T. Imoto and K.-s. Hashimoto

Evidence that cyclic AMP is involved in the hypersensitive response of *Medicago sativa* to a fungal elicitor 889 C. J. Cooke, C. J. Smith, T. J. Walton and R. P. Newton

Ecological Biochemistry
Clitidine 5′-mononucleotide, a toxic pyridine nucleotide from *Clitocybe acromelalga* 897 K. Yamano and H. Shirahama

Additional esters of 3-nitropropanoic acid and glucose from fruit of the New Zealand karaka tree, *Corynocarpus laevigatus* 901 W. Majak and M. Benn

Biosynthesis
Indole as a precursor of indole-3-acetic acid in *Zea mays* 905 N. I. Rekoslavskaya and R. S. Bandurski

Biosynthesis of the neurotoxin β-ODAP in developing pods of *Lathyrus sativus*	911	Yu-Haey Kuo, J. K. Khan and F. Lambein
Biosynthesis of sesquiterpenes of cadinane type in cultured cells of *Heteroscyphus planus*	915	K. Nabeta, Y. Mototani, H. Tazaki and H. Okuyama
Biosynthetic intermediates of indole-diterpenoid mycotoxins from selected transformations at C-10 of paxilline	921	J. Penn and P. G. Mantle
Biosynthesis of withanolides in *Acnistus breviflorus*. Incorporation of labelled 24-methylenecholesterol	927	E. S. Monteagudo, G. Burton and E. G. Gros
The stereochemistry of cyclization of the bacterial C_{50} carotenoid C.p.450	931	S. H. Rhodes and B. V. Milborrow
The rearrangement of phenyllactate in the biosynthesis of tropic acid	935	M. Ansarin and J. G. Woolley
Cell Culture and Biotechnology		
Biotransformation of (+)-camphor by cultured cells of *Eucalyptus perriniana*	941	Y. Orihara, T. Noguchi and T. Furuya
Influence of precursors on production of isoquinoline alkaloids in tissue cultures of *Cephaelis ipecacuanha*	947	C. Veeresham, C. Kokate and V. Venkateshwarlu
Chemotaxonomy		
Piperidine alkaloid content of *Picea* (spruce) and *Pinus* (pine)	951	F. R. Stermitz, J. N. Tawara, M. Boeckl, M. Pomeroy, T. A. Foderaro and F. G. Todd
Plant Chemistry		
Absolute stereochemistry of *N*-methoxyseptorinol isolated from the fungus *Septoria nodorum*	955	M. Barbier, M. Devys, J.-F. Bousquet and A. Kollmann
Rapid and simple determination of *O*-acetyl groups bound to plant cell walls by acid hydrolysis and ^{1}H NMR measurement	959	K. Iiyama, T. Bach Tuyet Lam, N. Kasuya and B. A. Stone
Linoleoylated polyacetylenes from the root of *Panax ginseng*	963	K. Hirakura, M. Morita, K. Niitsu, Y. Ikeya and M. Maruno
Enantioexcess monoterpenes from roots of *Asiasarum sieboldi*	969	K. Hashimoto, T. Katsuhara, K. Niitsu, Y. Ikeya, K. Hayashi, M. Maruno (Chin) and T. Fujita
Drimendiol, a sesquiterpene from *Drymis winterii*	975	G. D. Brown
Diterpene esters of malonic acid from the resin 'Ladano' of *Cistus creticus*	979	C. Demetzos, S. Mitaku, A. L. Skaltsounis, M. C. C. Harvala and F. Libot
Abietanes from leaves of *Juniperus chinensis*	983	Ching-Kuo Lee, Jim-Min Fang and Yu-Shia Cheng
Triterpenoid glycosides from *Schefflera lucantha*	987	O. Pancharoen, P. Tuntiwachwuttikul, W. C. Taylor and K. Picker
Two non-nitrogenous triterpenoids from roots of *Buxus papillosa*	993	Atta-Ur-Rahman, H. Nasir and Z. Iqbal
Triterpenoids from *Artocarpus heterophyllus*	1001	B. R. Barik, T. Bhaumik, A. K. Dey and A. B. Kundu
Triterpenoid saponins from the aerial parts of *Lonicera japonica*	1005	Kun Ho Son, Keun Young Jung, Hyeun Wook Chang, Hyun Pyo Kim and Sam Sik Kang
Songarosaponin D—a triterpenoid saponin from *Verbascum songaricum*	1009	I. Hartleb and K. Seifert

Triterpenoid saponins from the root of *Sideroxylon cubense*	1013	Y. Jiang, A. Oulad Ali, D. Guillaume, B. Weniger and R. Anton
Cycloartane triterpenes from *Juncus effusus*	1017	M. Della Greca, A. Fiorentino, P. Monaco and L. Previtera
Plumbasides A–C three naphthoquinone derivatives from *Ceratostigma minus*	1023	Jianmin Yue, Zhongwen Lin, Dezu Wang, Yaozong Feng and Handong Sun
Further meroterpenoid naphthoquinones from *Cordia corymbosa*	1027	L. W. Bieber, H. C. Krebs and W. Schäfer
Benzisochromanquinones and an isofuranonaphthoquinone from *Ventilago vitiensis* (Rhamnaceae)	1029	S. Ali, R. W. Read and S. Sotheeswaran
An ester and coumarins from the high altitude herb *Pleurospermum densiflorum*	1033	K. S. Khetwal, A. A. Rijivi and S. Pande
Phenylpropanoids and other secondary metabolites from *Baccharis linearis*	1037	G. D. Brown
Two biflavonoids in the farinose exudate of *Pentagramma triangularis*	1043	M. Iinuma, T. Tanaka, K. Suzuki and F. A. Lang
Bicoumarins from ascostromata of *Petromyces alliaceus*	1049	K. Nozawa, S. Nakajima, K.-I. Kawai, S.-I. Udagawa and M. Miyaji
Pyrazole alkaloids from *Newbouldia laevis*	1053	S. A. Adesanya, R. Nia, C. Fontaine and M. Païs
Short Reports		
Amino acid amides from *Hemerocallis longituba*	1057	K. Yoshikawa, M. Nagai and S. Arihara
Jinkoholic acid, a prezizane sesquiterpene from *Neocallitropsis pancheri*	1059	P. Raharivelomanana, J.-P. Bianchini, R. Faure, A. Cambon and M. Azzaro
A highly oxygenated phenanthrofuran skeleton diterpene from *Euphorbia acaulis*	1061	N. K. Satti, K. A. Suri, O. P. Suri, P. Skibicki and W. M. Daniewski
7-*epi*-rhyacophiline, a 5,6-secoclerodane diterpene from *Salvia rhyacophila*	1063	A. Ortega and E. Maldonado
Terpenoids from *Salvia nemorosa*	1065	A. Ulubelen, G. Topcu, U. Sönmez and C. Eriş
Triterpenoids of *Schisandra sphenanthera*	1068	Jian-min Yue, Xu-Jun and Yao-zu Chen
Peregrinol, a lupane type triterpene from the fruits of *Diospyros peregrina*	1070	N. Jain and R. Yadava
riterpenoids from the resin of *Shorea robusta*	1073	R. K. Hota and M. Bapuji
Transsylvanoside A, an acidic triterpene glycoside from *Cephalaria transsylvanica*	1075	S. Kirmizigül and H. Anil
A cardenolide from *Anodendron affine*	1077	Y. Fukuyama, M. Ochi, H. Kasai and M. Kodama
A xanthanolide from *Xanthium strumarium*	1080	V. K. Saxena and S. K. Mondal
A dihydroflavonol from *Plumbago indica*	1083	B. Dinda, G. Chel and B. Achari
Carbazole alkaloids from *Murraya koenigii*	1085	P. Bhattacharyya, A. K. Maiti, K. Basu and B. K. Chowdhury
Book Review		
Bioactive Volatile Compounds from Plants: edited by R. Teranishi, R. G. Buttery and H. Sugisawa	1087	J. B. Harborne

Number 5

Announcement	ix	
Review Article Number 88		
Enzymic synthesis of non-protein β-substituted alanines and some higher homologues in plants	1089	F. IKEGAMI and I. MURAKOSHI
Growth and Metabolism		
Uncoupling activities of monensin in isolated mitochondria, chloroplasts and cells	1105	H. ALBERTIN, F. NURIT, P. RAVANEL and M. TISSUT
Modelling the auxin-binding site of auxin-binding protein 1 of maize	1111	M. D. EDGERTON, A. TROPSHA and A. M. JONES
A galactose-binding T-cell mitogenic lectin from the seeds of *Telfairia occidentalis*	1125	R. A. TOGUN, T. ANIMASHAUN, J. E. KAY and A. A. ABODERIN
Purification and constitutive excretion of acid phosphatase in *Neurospora crassa*	1131	S. W. HAN, M. A. MICHELIN, J. E. BARBOSA and A. ROSSI
Selective mode of action of cucurbitacin in the inhibition of laccase formation in *Botrytis cinerea*	1137	A. VITERBO, R. C. STAPLES, B. YAGEN and A. M. MAYER
Pyrolysis mass spectrometry and pyrolysis gas chromatography-mass spectrometry of ester- and ether-linked phenolic acids in coastal bermudagrass cell walls	1143	W. H. MORRISON III and M. M. MULDER
Ecological Biochemistry		
Differential toxicity of heavy metals to growth and nitrate reductase activity of *Sesamum indicum* seedlings	1153	R. P. SINGH, N. BHARTI and G. KUMAR
Antagonistic effect of sodium chloride to differential heavy metal toxicity regarding biomass accumulation and nitrate assimilation in *Sesamum indicum* seedlings	1157	N. BHARTI and R. P. SINGH
A dihydroisocoumarin glucoside from *Aloe hildebrandtii*	1163	N. C. VEITCH, M. S. J. SIMMONDS, W. M. BLANEY and T. REYNOLDS
A blue pigment complex in flowers of *Salvia patens*	1167	K. TAKEDA, M. YANAGISAWA, T. KIFUNE, T. KINOSHITA and C. F. TIMBERLAKE
Biosynthesis		
Phosphatidylcholine molecular species formed by lysophosphatidylcholine acyltransferase from soya bean microsomes	1171	C. DEMANDRE, J. BAHL, H. SERGHINI, M. J. ALPHA and P. MAZLIAK
Biosynthesis of polyunsaturated fatty acids in the marine diatom, *Phaeodactylum tricornutum*	1177	T. ARAO and M. YAMADA
Enzymological aspects of the redirection of terpenoid biosynthesis in elicitor-treated cultures of *Tabernaemontana divaricata*	1183	D. C. FULTON, P. A. KROON and D. R. THRELFALL
Biosynthesis of catalpol	1187	S. DAMTOFT
Microbial oxidation of (+)-epimagnolin A by *Aspergillus niger*	1191	M. MIYAZAWA, H. KASAHARA and H. KAMEOKA
Biosynthesis of anatoxin-*a* by *Anabaena flos-aquae*: examination of primary enzymic steps	1195	J. R. GALLON, P. KITTAKOOP and E. G. BROWN
Cell Culture and Biotechnology		
Cross-linking treatment for increasing lectin binding capacity of a vesicular affinity sorbent consisting of higher plant cell walls	1205	H. KOPPITZ, H. WOEHLECKE and R. EHWALD
Biotransformation of germacrone by suspension cultured cells	1215	S. SAKAMOTO, N. TSUCHIYA, M. KUROYANAGI and A. UENO
Saponin production in callus and cell suspension cultures of *Panax quinquefolium*	1221	A. MATHUR, Y. N. SHUKLA, M. PAL, P. S. AHUJA and G. C. UNIYAL

Xanthones in cell suspension cultures of two *Centaurium* species	1227	L. Beerhues and U. Berger
Chemotaxonomy		
Sterols and alkenones of *Isochrysis*	1233	G. W. Patterson, E. Tsitsa-Tsardis, G. H. Wikfors, P. K. Gladu, D. J. Chitwood and D. Harrison
Purine alkaloid distribution within *Herrania* and *Theobroma*	1237	J. F. Hammerstone Jr, L. J. Romanczyk Jr and W. M. Aitken
Plant Chemistry		
Cell wall composition of grape berry skins	1241	M. Lecas and J.-M. Brillouet
Two aliphatic enone ethers from *Hibiscus rosa-sinensis*	1245	M. Nakatani, K. Matsuoka, Y. Uchio and T. Hase
Characterization and lipid composition of the plasma membrane in grape leaves	1249	A. Mas, J. Navarro-Pedreño, D. T. Cooke and C. S. James
Polyacetylenes from *Panax quinquefolium*	1255	Y. Fujimoto, Hongcheng Wang, M. Satoh and N. Takeuchi
Alatoside and thunaloside, two iridoid glucosides from *Thunbergia alata*	1259	S. Damtoft, L. B. Frederiksen and S. R. Jensen
Drimane-type sesquiterpenoids from the liverwort *Diplophyllum serrulatum*	1263	M. Toyota, Y. Ooiso, T. Kusuyama and Y. Asakawa
Sesquiterpene esters from *Euonymus nanus*	1267	J. Hohmann, Z. Dini, I. Pelczer and G. Jerkovich
Terpenoids of the wood of *Abies marocana*	1271	A. F. Barrero, J. F. Sanchez, E. J. Alvarez-Manzaneda, M. Muñoz Dorado and A. Haidour
Longirabdolides A and B, 6,7-*seco*-*ent*-kaurenoids from *Rabdosia longituba*	1275	Y. Takeda, T. Matsumoto and H. Otsuka
Abietanes and kauranes from leaves of *Cryptomeria japonica*	1279	Wen-Chiung Su, Jim-Min Fang and Yu-Shia Cheng
neo-Clerodane diterpenoids from *Scutellaria alpina*	1285	P. I. Bozov, G. Y. Papanov and P. Y. Malakov
Rabdoshikoccins A and B, 8,9-*seco*-*ent*-kaurenoids from *Rabdosia shikokiana* var. *occidentalis*	1289	Y. Takeda, Y. Futatsuishi, T. Matsumoto, H. Terada and H. Otsuka
Triterpenes from *Fossombronia* liverworts	1293	C. Grammes, G. Burkhardt and H. Becker
Triterpenes, lichexanthone and an acetylenic acid from *Minquartia guianensis*	1297	H. R. El-Seedi, A. C. Hazell and K. B. G. Torssell
29-Hydroxymangiferonic acid from *Mangifera indica*	1301	V. Anjaneyulu, J. Suresh Babu and J. D. Connolly
Lanostanoid triterpenes from *Ganoderma applanatum*	1305	Chairul, S. M. Chairul and Y. Hayashi
Triterpene alcohols and 3-oxo steroids of nine Leguminosae seeds	1309	T. Akihisa, Y. Kimura, K. Roy, P. Ghosh, S. Thakur and T. Tamura
Saponins from *Barringtonia acutangula*	1315	B. C. Pal, T. Chaudhuri, K. Yoshikawa and S. Arihara
Oleanolic acid saponins from root bark of *Aralia elata*	1319	S. Sakai, M. Katsumata (nee Ohtsuka), Y. Satoh, M. Nagasao, M. Miyakoshi, Y. Ida and J. Shoji

Reticulacinone, an acetogenin from *Annona reticulata*	1325	A. Hisham, C. Sunitha, U. Sreekala, L. Pieters, T. De Bruyne, H. Van den Heuvel and M. Claeys
Alangionosides A and B, ionol glycosides from leaves of *Alangium premnifolium*	1331	H. Otsuka, K. Kamada, C. Ogimi, E. Hirata, A. Takushi and Y. Takeda
3,4-Dihydroxyphenylglycol, a major C_6-C_2 phenolic in *Olea europaea* fruits	1335	G. Bianchi and N. Pozzi
Coumarin glycosides from *Peucedanum japonicum*	1339	Y. Ikeshiro, I. Mase and Y. Tomita
Norlignan glucosides from *Curculigo recurvata*	1343	K. Chifundera, G. Palazzino, I. Messana, L. Ping, C. Galeffi and G. Cannarsa
Tamarixellagic acid, an ellagitannin from the galls of *Tamarix aphylla*	1349	M. A. M. Nawwar, S. A. M. Hussein, J. Buddrus and M. Linscheid
Two xanthones from root bark of *Garcinia subelliptica*	1355	M. Iinuma, H. Tosa, T. Tanaka, R. Shimano, F. Asai and S. Yonemori
Additional alkaloids from the stem of *Dysoxylum lenticellare*	1361	A. J. Aladesanmi and J. J. Hoffmann
Aporphine alkaloids from *Lindera myrrha*	1363	Ba Hung Phan, E. Seguin, F. Tillequin and M. Koch
Short Reports		
Iridoid glucosides from *Plantago hookeriana*	1367	S. Damtoft, E. Falkesgaard and S. R. Jensen
Iridoid glucosides from *Viburnum suspensum*	1369	T. Iwagawa, S. Yaguchi and T. Hase
Sesquiterpene lactones from *Centaurea sphaerocephala* ssp. *sphaerocephala*	1371	M. Bruno, C. Fazio, S. Passananti, M. P. Paternostro, J. G. Díaz and W. Herz
Diterpenes from the aerial part of *Salvia columbariae*	1373	J. G. Luis, W. Quiñones, T. A. Grillo and M. P. Kishi
A cardenolide cardiogenin 3-*O*-β-D-xylopyranoside from the seeds of *Crotalaria juncea*	1375	R. N. Yadav and V. Thakur
Flavonol glycosides from *Pyrus bourgaeana*	1378	A. R. Bilia, J. Muñoz Gonzalez, I. Morelli, E. Nieri and M. Escudero Rubio
Flavonoid glycosides from *Cotoneaster thymaefolia*	1381	E. Palme, A. R. Bilia, V. De Feo and I. Morelli

Number 6

Announcement	ix	
Growth and Metabolism		
Gibberellins in developing fruits of *Prunus avium*	1383	P. S. Blake and G. Browning
Chlorophyll catabolism. Isolation and structure elucidation of chlorophyll *b* catabolites in *Chlorella protothecoides*	1387	J. Iturraspe, N. Engel and A. Gossauer
Some properties of β-glucosidases from tropical plant species	1391	Hock-Hin Yeoh and Yeow-Chin Wee
Purification and properties of a protease from the sarcocarp of bead tree fruit	1395	M. Kaneda, K. Arima, H. Yonezawa and T. Uchikoba

Inhibition of eukaryote signal-regulated protein kinases by plant-derived catechin-related compounds	1399	G. M. Polya and Lai Yeap Foo
A calcium- and phospholipid-dependent protein kinase in soybean	1407	C. Honda, S. Komatsu and H. Hirano
Preparation and characterization of a *S*-monomethoxypoly(ethylene glycol) thioderivative of papain	1413	C. Paul, J. Vincentelli, J. Brygier, T. Musu, D. Baeyens-Volant, C. Guermant and Y. Looze
Formation of ω-feruloyloxypalmitic acid by an enzyme from wound-healing potato tuber discs	1419	S. Lotfy, J. Negrel and F. Javelle
Immunoinhibition of rubber particle-bound *cis*-prenyl transferases in *Ficus elastica* and *Parthenium argentatum*	1425	K. Cornish, D. J. Siler and O.-K. K. Grosjean
Glucosylation and galactosylation of diosgenin and solasodine by soluble glycosyltransferase(s) from *Solanum melongena* leaves	1429	C. Pączkowski and Z. A. Wojciechowski
UDP-glucose: flavonoid *O*-glucosyltransferase from strawberry fruit	1435	G. W. Cheng, D. A. Malencik and P. J. Breen
Tropinone reduction in *Atropa belladonna* root cultures	1441	B. Dräger and A. Schaal
Ecological Biochemistry		
A phytotoxic protein–lipopolysaccharide complex produced by *Verticillium dahliae*	1449	R. Meyer, V. Slater and I. A. Dubery
A sesquiterpenoid ant repellent from *Dysoxylum spectabile*	1455	G. B. Russell, M. B. Hunt, W. S. Bowers and J. W. Blunt
Elicitor induction of enzyme activities and 6-methoxymellein production in carrot cell suspension culture	1457	F. Marinelli, V. Nuti Ronchi and P. Salvadori
Activity of extracts and naphthylisoquinoline alkaloids from *Triphyophyllum peltatum*, *Ancistrocladus abbreviatus* and *A. barteri* against *Plasmodium falciparum in vitro*	1461	G. François, G. Bringmann, J. D. Phillipson, L. Aké Assi, C. Dochez, M. Rübenacker, C. Schneider, M. Wéry, D. C. Warhurst and G. C. Kirby
Cell Culture and Biotechnology		
Biotransformation of (−)- and (+)-neomenthols and isomenthol by *Aspergillus niger*	1465	H. Takahashi, Y. Noma, M. Toyota and Y. Asakawa
A butanolide from seedlings and micropropagated leaves of *Virola surinamensis*	1469	N. P. Lopes, S. de C. França, A. M. S. Pereira, J. G. S. Maia, M. J. Kato, A. J. Cavalheiro, O. R. Gottlieb and M. Yoshida
A minor anthocyanin from cultured cells of *Aralia cordata*	1471	Y. Asada, K. Sakamoto and T. Furuya
Chemotaxonomy		
Variations in the lipophilic and vacuolar flavonoids of the genus *Vellozia*	1475	J. B. Harborne, C. A. Williams, J. Greenham and J. Eagles
Plant Chemistry		
A sinapic acid ester from *Boreava orientalis*	1481	A. Sakushima, M. Coşkun, M. Tanker and N. Tanker
Iridoids of *Rauwolfia grandiflora*	1485	A. Bianco, A. De Luca, R. A. Mazzei, M. Nicoletti, P. Passacantilli and R. A. De Lima
Confirmation of structure and absolute stereochemistry of 9-epi-β-caryophyllene from *Dacrydium cupressinum*	1489	S. F. R. Hinkley, N. B. Perry and R. T. Weavers
Cadinane sesquiterpenes from *Siparuna macrotepala*	1495	H. El-Seedi, F. Ghia and K. B. G. Torssell

Fatty acids, sesqui- and diterpenoids from seeds of *Dipteryx lacunifera*	1499	F. N. P. Mendes and E. R. Silveira
Ent-neoclerodane diterpenes from *Gymnosperma glutinosum*	1505	R. Martínez, J. S. Calderón, R. A. Toscano, L. Valle-Aguilera and H. M. Mendoza-Candelaria
Dehydroabietane diterpenes from *Nepeta teydea*	1509	B. M. Fraga, T. Mestres, C. E. Díaz and J. M. Arteaga
Rabdoternins D–G, *ent*-7β,20-epoxykaurenes from *Rabdosia ternifolia*	1513	Y. Takeda, K.-I. Takeda, T. Fujita, Sun Han-Dong and Y. Minami
3-Oxo-serratene triterpenoids from the stem bark of *Picea jezoensis* carr. *hondoensis*	1517	R. Tanaka, C. Mun, Y. Usami and S. Matsunaga
Lanosterol derivatives from *Phellinus torulosus*	1523	A. G. González, T. S. Expósito, F. J. Toledo Marante, M. J. Mediavilla Pérez, E. B. Tejera and J. B. Barrera
Cardioactive steroid saponins and other constituents from the aerial parts of *Tribulus cistoides*	1527	H. Achenbach, H. Hübner, W. Brandt and M. Reiter
Pregnane glycosides from *Hemidesmus indicus*	1545	R. Chandra, D. Deepak and A. Khare
Pregnane glycosides from *Caralluma umbellata*	1549	Lee-Juian Lin, Long-Ze Lin, R. R. Gil, G. A. Cordell, M. Ramesh, B. Srilatha B. Reddy and A. V. N. Appa Rao
Naphthalene derivatives from the New Zealand liverwort, *Wettsteinia schusterana*	1555	Y. Asakawa, Y. Tada and T. Hashimoto
Phenolic metabolites from rooibos tea (*Aspalathus linearis*)	1559	C. Rabe, J. A. Steenkamp, E. Joubert, J. F. W. Burger and D. Ferreira
Isoflavanone dimers hexaspermone A, B and C from *Ouratea hexasperma*	1567	I. C. Moreira, D. C. Sobrinho, M. G. De Carvalho and R. Braz-Filho
Epoxyisoflavones from *Erythrina senegalensis*	1573	J. Wandji, Z. Tanee Fomum, F. Tillequin, G. Baudouin and M. Koch
Cyclopeptide alkaloids from *Ziziphus mucronata*	1579	L. Barboni, P. Gariboldi, E. Torregiani and L. Verotta
Short Reports		
Dentalactone, a sesquiterpene from *Ixeris dentata*	1583	Ha Sook Chung, Won Sick Woo and Sook Ja Lim
Two homofarnesane derivatives and other constituents from *Gochnatia glutinosa*	1585	M. I. Ybarra, C. A. N. Catalán, J. G. Díaz and W. Herz
Xanthanolides and a *bis*-norxanthanolide from *Xanthium cavanillesii*	1588	E. C. de Riscala, M. A. Fortuna, C. A. N. Catalán, J. G. Díaz and W. Herz
An α-pyrone from *Syncolostemon densiflorus*	1590	M. T. Davies-Coleman and D. E. A. Rivett
O-glycosyl-*C*-glycosylflavones from *Galipea trifoliata*	1593	A. Bakhtiar, J. Gleye, C. Moulis and I. Fouraste
A flavanol glycoside from *Drynaria propinqua*	1595	Liu Songqing, Xiao Zhuoyin and Feng Rui

An isoflavan from *Millettia racemosa* 1597 Ch. Prakash Rao and G. L. D. Krupadanam

An alkaloid and lignans from *Haplophyllum telephioides* 1600 A. Ulubelen, A. H. Mericli, F. Mericli and Ü. Kaya

Naphthaquinones and an alkaloid from roots of *Newbouldia laevis* 1602 P. J. Houghton, R. Pandey and J. E. Hawkes

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.